Product Datasheet



HSU-1515

Submerged Outside to In / Dead-end Filtration Ultrafiltration (UF) Membrane Module

The submerged filtration method is ideal for treating feed water with high turbidity because of effective drainage and sludge removal. No pressure casing, less piping, and fewer valves can reduce capital costs and minimizes footprint requirements.

Membrane Characteristics		Units	Value
Membrane Material			PVDF (Polyvinylidene fluoride)
Nominal Pore Size		μm	0.01
Outer Membrane Surface Area		m^2 (ft ²)	20 (215)
Operating Parameters		Units	Value
Maximum Feed water / Filtrate Flow		m³/h (gpm)	2.0 (8.8)
Maximum Backwash Flow		m³/h (gpm)	3.0 (13.2)
Maximum Air Flow		Nm³/h (scfm)	4.5 (2.6)
Maximum Backwash Pressure		kPa (psi)	200 (29.0)
Normal Operating Transmembrane Pressure		kPa (psi)	0-100 (0-14.5)
Operating Temperature Range		°C (°F)	0-40 (32-104)
pH Range	During Filtration		1–10
	During Cleaning		0-12

 $^{^*}$ Please contact Toray for operating manual and preliminary design, as capacity per module is highly dependent on feed water quality.



Applications

Drinking water, Industrial process water, Pretreatment for seawater RO desalination, Tertiary wastewater


Product Datasheet



HSU-1515

Submerged Outside to In / Dead-end Filtration Ultrafiltration (UF) Membrane Module

Dimensions & Weight		Unit	Value		
Diameter		mm (in)	147 (5.79)		
Length		mm (ft)	1,327 (4.35)		
Weight	Wet Condition	kg (lbs)	18 (40)		
Connections			Value		
Filtrate Outlet		IDF/ISO Clamp	IDF/ISO Clamp Union Fittings 1.5s		
Material Specifications					
Description		N	Material		
Cap / Protective Cylinder		А	ABS / PE		
Potting		I	Ероху		
O-ring			EPDM		



Toray accepts no responsibility for results obtained by the application of this information or the safety or suitability of Toray's products, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each product combination for their own purposes.

All data may change without prior notice, due to technical modifications or production changes. Please be sure to inquire about the latest product specifications.

Headquarters

Japan +81 3 3245 4542

Asia Pacific

China (TBMC) +86 10 8048 5216 Singapore (TAS) +65 6226 0525 Korea (TAK) +82 2 3279 7365

Americas (TMUS)

USA +1 (858) 218 2360

Europe & Sub-Saharan Africa (TMEU)

Switzerland +41 61 415 8710

Middle East (TMME)

Saudi Arabia +966 13 568 0091 U.A.E. +971 4 392 8811

©2021 Toray Industries, Inc.



2 of 2 01-MB2-07-210331